


Not to scale


00-071 – Flushbolt Receiver




02-040 – 4mm Q-Lon




02-042 – 6.5mm Q-Lon




02-043 – 7.5mm Q-Lon




02-044 – 9.5mm Q-Lon



02-045 – Q-Lon QEZ 4.8mm Slot




02-082 – Bulb Seal (PVC)



02-242 – Cushioning Strip (Black)


Suitable for LSS-380, LSS-509,  
LSS-804, 600-623



03-239 – Hole Plug (14mm)



04-108 – Glazing Wedge



Up to date stock availability can be viewed at [www.lidco.com.au/indices](http://www.lidco.com.au/indices)

Not to scale

04-118 – Glazing Wedge (615 System)



12-158 – Recessed Ring Pull (black)



12-200BL – Carrier Set  
Black (Left)

For 615 System



12-200CL – Carrier Set  
Clear Anodise (Left)

12-200SS – Carrier Set  
Stainless Steel (Left)

12-200WH – Carrier Set  
White (Left)

12-201BL – Carrier Set  
Black (Right)

For 615 System



12-201CL – Carrier Set  
Clear Anodise (Right)

12-201SS – Carrier Set  
Stainless Steel (Right)

12-201WH – Carrier Set  
White (Right)

12-202BL – Carrier Set Meeting  
Black

For 615 System



12-202CL – Carrier Set Meeting  
Clear Anodise

12-202SS – Carrier Set Meeting  
Stainless Steel

12-202WH – Carrier Set Meeting  
White

12-203BL – Carrier Set  
Intermediate – Black

For 615 System




12-203CL – Carrier Set  
Intermediate – Clear Anodise


12-203SS – Carrier Set  
Intermediate – Stainless Steel


12-203WH – Carrier Set  
Intermediate – White


Up to date stock availability can be viewed at [www.lidco.com.au/indices](http://www.lidco.com.au/indices)


Not to scale

12-204BL – Hinge Set Black	For 615 System 
12-204CL – Hinge Set Clear Anodise	
12-204SS – Hinge Set Stainless Steel	
12-204WH – Hinge Set White	

12-204NHBL – Hinge Set (no handle) – Black	For 615 System 
12-204NHCL – Hinge Set (no handle) – Clear Anodise	
12-204NHSS – Hinge Set (no handle) – Stainless Steel	
12-204NHW – Hinge Set (no handle) – White	

12-205BL – Pivot Set Black	For 615 System 
12-205CL – Pivot Set Clear Anodise	
12-205SS – Pivot Set Stainless Steel	
12-205WH – Pivot Set White	

12-233BL – Hinge Set Half Offset – Black (Right)	For 615 System 
12-233CL – Hinge Set Half Offset – Clear Anodise (Right)	
12-233SS – Hinge Set Half Offset – Stainless Steel (Right)	
12-233WH – Hinge Set Half Offset – White (Right)	

12-233NHBL – Hinge Set Half Offset – Black (Right)	For 615 System 
12-233NHCL – Hinge Set Half Offset – Clear Anodise (Right)	
12-233NHSS – Hinge Set Half Offset – Stainless Steel (Right)	
12-233NHW – Hinge Set Half Offset – White (Right)	

Up to date stock availability can be viewed at [www.lidco.com.au/indices](http://www.lidco.com.au/indices)

# CONTEMPORARY RANGE 615 SYSTEM

## Lifestyle™ Bifold Door



Date: Dec 2013  
Replaces: Dec 2012

Not to scale

### 15-200 – Flush Bolt (Satin Chrome 250mm)

For 150 and 615 Systems



### 15-201 – Flush Bolt (Black 250mm)

For 150 and 615 Systems



### Sorrento Lock Set Kit

(Face Mount)

For 150 and 615 Systems



Can be supplied keyed alike\*

#### Part Number

#### Colour

15-500BL

Black Satin

15-500SC

Satin Chrome

15-500PR\*

Primrose

15-500CC\*

Custom Colour

### Sorrento Inactive Lock Body with Lever

(Face Mount)

For 150 and 615 Systems



Can be supplied keyed alike\*

#### Part Number

#### Colour

15-501BL

Black Satin

15-501SC

Satin Chrome

15-501PR\*

Primrose

15-501CC\*

Custom Colour

### Sorrento Twin Bolt for Bifold with Low Profile Handle

For 150 and 615 Systems



#### Part Number

#### Colour

15-502BL

Black Satin

15-502SC

Satin Chrome

15-502PR\*


Primrose

15-502CC\*

Custom Colour

### 15-503 – Sorrento Strike Plate (Wide Winged)

For 615 Systems



### 15-504 – Sorrento Multi-Point (Kit)

For 150 and 615 Systems



\*Lead times may apply

Up to date stock availability can be viewed at [www.lidco.com.au/indices](http://www.lidco.com.au/indices)

SALES ORDERS [orders@lidco.com.au](mailto:orders@lidco.com.au) F 1300 937 713

TECHNICAL SUPPORT [techsupport@lidco.com.au](mailto:techsupport@lidco.com.au) T 1300 663 848

### Hardware Selection Chart (Standard Open Outward Configuration)

Number of Panels	Configuration	Hardware Component								Vertical Extrusion Length		
		12-200	12-201	12-202	12-203	12-204	12-233	12-205	15-503	800-103 + 02-040	LSS-515	LSS-514
		Left Carrier	Right Carrier	Meeting Carrier	Intermediate Carrier	Hinge Set	Offset Hinge Set	Pivot Set	Jamb Striker	Lock Stile Adaptor	Lock Stile	Stile
2	1L1R							2		1	1	3
	2L*		1			1		1				4
	2R*	1				1		1				4
3	1L2R	1				1		2		1	1	5
	2L1R		1			1		2		1	1	5
	3L				1		1	1	1		1	5
	3R				1		1	1	1		1	5
4	1L3R				1		1	2		1	1	7
	2L2R*			1		2		2				8
	3L1R				1		1	2		1	1	7
	4L*		1		1		2	1				8
	4R*	1			1		2	1				8
5	1L4R	1			1		2	2		1	1	9
	2L3R		1		1	1	1	2		1	1	9
	3L2R	1			1	1	1	2		1	1	9
	4L1R		1		1		2	2		1	1	9
	5L				2	1	1	1	1		1	9
	5R				2	1	1	1	1		1	9
6	1L5R				2	1	1	2		1	1	11
	2L4R*			1	1	1	2	2				12
	3L3R				2		2	2		1	1	11
	4L2R*			1	1	1	2	2				12
	5L1R				2	1	1	2		1	1	11
	6L*		1		2	1	2	1				12
	6R*	1			2	1	2	1				12
7	1L6R	1			2	1	2	2		1	1	13
	2L5R		1		2	2	1	2		1	1	13
	3L4R	1			2		3	2		1	1	13
	4L3R		1		2		3	2		1	1	13
	5L2R	1			2	2	1	2		1	1	13
	6L1R		1		2	1	2	2		1	1	13
	7L				3	2	1	1	1		1	13
	7R				3	2	1	1	1		1	13
8	1L7R				3	2	1	2		1	1	15
	2L6R*			1	2	2	2	2				16
	3L5R				3	1	2	2		1	1	15
	4L4R*			1	2		4	2				16
	5L3R				3	1	2	2		1	1	15
	6L2R*			1	2	2	2	2				16
	7L1R				3	2	1	2		1	1	15
	8L*		1		3	2	2	1				16
	8R*	1			3	2	2	1				16

\*Not accessible from exterior

Up to date stock availability can be viewed at [www.lidco.com.au/indices](http://www.lidco.com.au/indices)

# CONTEMPORARY RANGE 615 SYSTEM

## Lifestyle™ Bifold Door



Date: Dec 2013  
Replaces: Dec 2012

### Hardware Selection Chart (Standard Open Outward Configuration)

Number of Panels	Configuration	Option A Flush Bolt ONLY		Option B Twin Bolt ONLY			Option C French Door in Bifolding Configuration (Flush Bolt and Twin Bolt)		
		15-200 + 00-071	15-500	15-502	15-500	15-501 + 15-504	15-200 + 00-071	15-502	15-500
		Flush Bolt and Flush Bolt Receiver	Standard Lock	Twin Point Bolt	Standard Lock	Lock Inactive Leaf and Multipoint Kit	Flush Bolt and Flush Bolt Receiver**	Twin Point Bolt	Standard Lock
2	1L1R	2	1	1		1	N/A	N/A	N/A
	2L*	2		1			N/A	N/A	N/A
	2R*	2		1			N/A	N/A	N/A
3	1L2R	2	1	1	1		N/A	N/A	N/A
	2L1R	2	1	1	1		N/A	N/A	N/A
	3L	2	1	1	1		N/A	N/A	N/A
	3R	2	1	1	1		N/A	N/A	N/A
4	1L3R	4	1	2		1	2	1	1
	2L2R*	4		2			N/A	N/A	N/A
	3L1R	4	1	2		1	2	1	1
	4L*	4		2			N/A	N/A	N/A
	4R*	4		2			N/A	N/A	N/A
5	1L4R	4	1	2	1		N/A	N/A	N/A
	2L3R	4	1	2	1		N/A	N/A	N/A
	3L2R	4	1	2	1		N/A	N/A	N/A
	4L1R	4	1	2	1		N/A	N/A	N/A
	5L	4	1	2	1		N/A	N/A	N/A
	5R	4	1	2	1		N/A	N/A	N/A
6	1L5R	6	1	3		1	2	2	1
	2L4R*	6		3			N/A	N/A	N/A
	3L3R	6	1	3		1	2	2	1
	4L2R*	6		3			N/A	N/A	N/A
	5L1R	6	1	3		1	2	2	1
	6L*	6		3			N/A	N/A	N/A
	6R*	6		3			N/A	N/A	N/A
7	1L6R	6	1	3	1		N/A	N/A	N/A
	2L5R	6	1	3	1		N/A	N/A	N/A
	3L4R	6	1	3	1		N/A	N/A	N/A
	4L3R	6	1	3	1		N/A	N/A	N/A
	5L2R	6	1	3	1		N/A	N/A	N/A
	6L1R	6	1	3	1		N/A	N/A	N/A
	7L	6	1	3	1		N/A	N/A	N/A
	7R	6	1	3	1		N/A	N/A	N/A
8	1L7R	8	1	4		1	2	3	1
	2L6R*	8		4			N/A	N/A	N/A
	3L5R	8	1	4		1	2	3	1
	4L4R*	8		4			N/A	N/A	N/A
	5L3R	8	1	4		1	2	3	1
	6L2R*	8		4			N/A	N/A	N/A
	7L1R	8	1	4		1	2	3	1
	8L*	8		4			N/A	N/A	N/A
	8R*	8		4			N/A	N/A	N/A

\*Not accessible from exterior

Up to date stock availability can be viewed at [www.lidco.com.au/indices](http://www.lidco.com.au/indices)

SALES ORDERS [orders@lidco.com.au](mailto:orders@lidco.com.au) F 1300 937 713

TECHNICAL SUPPORT [techsupport@lidco.com.au](mailto:techsupport@lidco.com.au) T 1300 663 848

### Hardware Selection Chart (Open Inward Configuration)

Number of Panels	Configuration	Hardware Component								Vertical Extrusion Length		
		12-200	12-201	12-202	12-203	12-204NH	12-233NH	12-205	15-503	800-103 + 02-040	LSS-515	LSS-514
		Left Carrier	Right Carrier	Meeting Carrier	Intermediate Carrier	Hinge Set	Offset Hinge Set	Pivot Set	Jamb Striker	Lock Stile Adaptor	Lock Stile	Stile
2	1L1R							2		1	1	3
	2L*	1				1		1				4
	2R*		1			1		1				4
3	1L2R		1			1		2		1	1	5
	2L1R	1				1		2		1	1	5
	3L				1		1	1	1		1	5
	3R				1		1	1	1		1	5
4	1L3R				1		1	2		1	1	7
	2L2R*			1		2		2				8
	3L1R				1		1	2		1	1	7
	4L*	1			1		2	1				8
	4R*		1		1		2	1				8
5	1L4R		1		1		2	2		1	1	9
	2L3R	1			1	1	1	2		1	1	9
	3L2R		1		1	1	1	2		1	1	9
	4L1R	1			1		2	2		1	1	9
	5L				2	1	1	1	1		1	9
	5R				2	1	1	1	1		1	9
6	1L5R				2	1	1	2		1	1	11
	2L4R*			1	1	1	2	2				12
	3L3R				2		2	2		1	1	11
	4L2R*			1	1	1	2	2				12
	5L1R				2	1	1	2		1	1	11
	6L*	1			2	1	2	1				12
	6R*		1		2	1	2	1				12
7	1L6R		1		2	1	2	2		1	1	13
	2L5R	1			2	2	1	2		1	1	13
	3L4R		1		2		3	2		1	1	13
	4L3R	1			2		3	2		1	1	13
	5L2R		1		2	2	1	2		1	1	13
	6L1R	1			2	1	2	2		1	1	13
	7L				3	2	1	1	1		1	13
	7R				3	2	1	1	1		1	13
8	1L7R				3	2	1	2		1	1	15
	2L6R*			1	2	2	2	2				16
	3L5R				3	1	2	2		1	1	15
	4L4R*			1	2		4	2				16
	5L3R				3	1	2	2		1	1	15
	6L2R*			1	2	2	2	2				16
	7L1R				3	2	1	2		1	1	15
	8L*	1			3	2	2	1				16
	8R*		1		3	2	2	1				16

\*Not accessible from exterior

Up to date stock availability can be viewed at [www.lidco.com.au/indices](http://www.lidco.com.au/indices)

# CONTEMPORARY RANGE 615 SYSTEM

## Lifestyle™ Bifold Door



Date: Dec 2013  
Replaces: Dec 2012

### Hardware Selection Chart (Open Inward Configuration)

Number of Panels	Configuration	Option A Flush Bolt ONLY		Option B Twin Bolt ONLY			Option C French Door in Bifolding Configuration (Flush Bolt and Twin Bolt)		
		15-200 + 00-071	15-500	15-502	15-500	15-501 + 15-504	15-200 + 00-071	15-502	15-500
		Flush Bolt and Flush Bolt Receiver	Standard Lock	Twin Point Bolt	Standard Lock	Lock Inactive Leaf and Multipoint Kit	Flush Bolt and Flush Bolt Receiver**	Twin Point Bolt	Standard Lock
2	1L1R	2	1	1		1	N/A	N/A	N/A
	2L*	2		1			N/A	N/A	N/A
	2R*	2		1			N/A	N/A	N/A
3	1L2R	2	1	1	1		N/A	N/A	N/A
	2L1R	2	1	1	1		N/A	N/A	N/A
	3L	2	1	1	1		N/A	N/A	N/A
	3R	2	1	1	1		N/A	N/A	N/A
4	1L3R	4	1	2		1	2	1	1
	2L2R*	4		2			N/A	N/A	N/A
	3L1R	4	1	2		1	2	1	1
	4L*	4		2			N/A	N/A	N/A
	4R*	4		2			N/A	N/A	N/A
5	1L4R	4	1	2	1		N/A	N/A	N/A
	2L3R	4	1	2	1		N/A	N/A	N/A
	3L2R	4	1	2	1		N/A	N/A	N/A
	4L1R	4	1	2	1		N/A	N/A	N/A
	5L	4	1	2	1		N/A	N/A	N/A
	5R	4	1	2	1		N/A	N/A	N/A
6	1L5R	6	1	3		1	2	2	1
	2L4R*	6		3			N/A	N/A	N/A
	3L3R	6	1	3		1	2	2	1
	4L2R*	6		3			N/A	N/A	N/A
	5L1R	6	1	3		1	2	2	1
	6L*	6		3			N/A	N/A	N/A
	6R*	6		3			N/A	N/A	N/A
7	1L6R	6	1	3	1		N/A	N/A	N/A
	2L5R	6	1	3	1		N/A	N/A	N/A
	3L4R	6	1	3	1		N/A	N/A	N/A
	4L3R	6	1	3	1		N/A	N/A	N/A
	5L2R	6	1	3	1		N/A	N/A	N/A
	6L1R	6	1	3	1		N/A	N/A	N/A
	7L	6	1	3	1		N/A	N/A	N/A
	7R	6	1	3	1		N/A	N/A	N/A
8	1L7R	8	1	4		1	2	3	1
	2L6R*	8		4			N/A	N/A	N/A
	3L5R	8	1	4		1	2	3	1
	4L4R*	8		4			N/A	N/A	N/A
	5L3R	8	1	4		1	2	3	1
	6L2R*	8		4			N/A	N/A	N/A
	7L1R	8	1	4		1	2	3	1
	8L*	8		4			N/A	N/A	N/A
	8R*	8		4			N/A	N/A	N/A

\*Not accessible from exterior

Up to date stock availability can be viewed at [www.lidco.com.au/indices](http://www.lidco.com.au/indices)

SALES ORDERS [orders@lidco.com.au](mailto:orders@lidco.com.au) F 1300 937 713

TECHNICAL SUPPORT [techsupport@lidco.com.au](mailto:techsupport@lidco.com.au) T 1300 663 848



615 SYSTEM BIFOLD DOOR – Hardware Summary			
Item No	Description	Colour	Material
00-071	Flush Bolt Receiver	black	Plastic
02-040	4mm Q-Lon Seal	black	
02-042	6.5mm Q-Lon Seal	black	
02-043	7.5mm Q-Lon Seal	black	
02-044	9.5mm Q-Lon Seal	black	
02-045	QEZ Seal	black	
02-082	Bulb Seal	black	PVC
02-242	Cushioning Strip	black	PVC
03-239	Hole Plug	black	plastic
04-108	Glazing Wedge	black	PVC
04-118	Glazing Wedge	black	PVC
12-158	Recessed Ring Pull	black	
12-200BL	Left Hand Carrier Set	black	stainless steel
12-200CL	Left Hand Carrier Set	clear anodise	stainless steel
12-200SS	Left Hand Carrier Set	stainless steel	stainless steel
12-200WH	Left Hand Carrier Set	white	stainless steel
12-201BL	Right Hand Carrier Set	black	stainless steel
12-201CL	Right Hand Carrier Set	clear anodise	stainless steel
12-201SS	Right Hand Carrier Set	stainless steel	stainless steel
12-201WH	Right Hand Carrier Set	white	stainless steel
12-202BL	Meeting Carrier Set	black	stainless steel
12-202CL	Meeting Carrier Set	clear anodise	stainless steel
12-202SS	Meeting Carrier Set	stainless steel	stainless steel
12-202WH	Meeting Carrier Set	white	stainless steel
12-203BL	Intermediate Carrier	black	stainless steel
12-203CL	Intermediate Carrier	clear anodise	stainless steel
12-203SS	Intermediate Carrier	stainless steel	stainless steel
12-203WH	Intermediate Carrier	white	stainless steel
12-204BL	Hinge Set	black	stainless steel
12-204CL	Hinge Set	clear anodise	stainless steel
12-204SS	Hinge Set	stainless steel	stainless steel
12-204WH	Hinge Set	white	stainless steel
12-204NHBL	Hinge Set (no handle)	black	stainless steel

Up to date stock availability can be viewed at [www.lidco.com.au/indices](http://www.lidco.com.au/indices)

# CONTEMPORARY RANGE 615 SYSTEM

## Lifestyle™ Bifold Door



Date: Dec 2013  
Replaces: Dec 2012

615 SYSTEM BIFOLD DOOR – Hardware Summary			
Item No	Description	Colour	Material
12-204NHCL	Hinge Set (no handle)	clear anodise	stainless steel
12-204NHSS	Hinge Set (no handle)	stainless steel	stainless steel
12-204NHWH	Hinge Set (no handle)	white	stainless steel
12-205BL	Pivot Set	black	stainless steel
12-205CL	Pivot Set	clear anodise	stainless steel
12-205SS	Pivot Set	stainless steel	stainless steel
12-205WH	Pivot Set	white	stainless steel
12-233BL	Offset Hinge Set	black	stainless steel
12-233CL	Offset Hinge Set	clear anodise	stainless steel
12-233SS	Offset Hinge Set	stainless steel	stainless steel
12-233WH	Offset Hinge Set	white	stainless steel
12-233NHBL	Offset Hinge Set (no handle)	black	stainless steel
12-233NHCL	Offset Hinge Set (no handle)	clear anodise	stainless steel
12-233NHSS	Offset Hinge Set (no handle)	stainless steel	stainless steel
12-233NHWH	Offset Hinge Set (no handle)	white	stainless steel
15-200	Flush Bolt – 250mm Rod	satın chrome	stainless steel
15-201	Flush Bolt – 250mm Rod	black	stainless steel
CEN-038	Channel – 26 x 19 x 1.6mm		
15-500BL	Sorrento Lock Set Kit (Face Mount)	black satin	
15-500SC	Sorrento Lock Set Kit (Face Mount)	satın chrome	
15-500PR*	Sorrento Lock Set Kit (Face Mount)	primrose	
15-500CC*	Sorrento Lock Set Kit (Face Mount)	custom colour	
15-501BL	Sorrento Inactive Lock Body with Lever	black satin	
15-501SC	Sorrento Inactive Lock Body with Lever	satın chrome	
15-501PR*	Sorrento Inactive Lock Body with Lever	primrose	
15-501CC*	Sorrento Inactive Lock Body with Lever	custom colour	
15-502BL	Sorrento Twin Bolt - Bifold Low - Profile Handle	black satin	
15-502SC	Sorrento Twin Bolt - Bifold Low - Profile Handle	satın chrome	
15-502PR*	Sorrento Twin Bolt - Bifold Low - Profile Handle	primrose	
15-502CC*	Sorrento Twin Bolt - Bifold Low - Profile Handle	custom colour	
15-503	Sorrento Strike Plate (Wide Winged)		
15-504	Sorrento Multi-Point Kit		

\*Lead times may apply

Up to date stock availability can be viewed at [www.lidco.com.au/indices](http://www.lidco.com.au/indices)

SALES ORDERS [orders@lidco.com.au](mailto:orders@lidco.com.au) F 1300 937 713

TECHNICAL SUPPORT [techsupport@lidco.com.au](mailto:techsupport@lidco.com.au) T 1300 663 848