

COMMERCIAL RANGE 718 SYSTEM

Emporia™ 125mm Face Glazed

Not to scale

02-082 – Bulb Seal (PVC)



02-154 – Door Rubber (400-931)

Suitable for 700-130, 400-931



02-231 – V Seal

Suitable for 700-231, 700-235,
700-286, 700-407, 700-629



02-419 – Bulb Seal (Inner Sash)

Suitable for LSS-401, 370-126




02-681 – V-Seal (EPDM)

Suitable for 700-555,
700-541, 700-111,
700-115, 700-126,
700-168, 700-185,
700-246



03-236 – Transom Stop (0.8mm thick)



04-108 – Glazing Wedge



04-116 – Glazing Wedge



04-118 – Glazing Wedge (615 System)



04-142 – Glazing Wedge



Up to date stock availability can be viewed at www.lidco.com.au/indices

Not to scale

04-222 – Captive Wedge (PVC)



04-222E – Captive Wedge (EPDM)



04-223 – Captive Wedge (PVC)



04-223E – Captive Wedge (EPDM)



04-224 – Glazing Wedge (PVC)



04-224E – Glazing Wedge (EPDM)



04-230E – Glazing Wedge (EPDM)



04-233E – Glazing Wedge (EPDM)



04-234 – Glazing Wedge (400-661)

Suitable for 400-661



04-235E – Glazing Wedge (EPDM)



Up to date stock availability can be viewed at www.lidco.com.au/indices

COMMERCIAL RANGE 718 SYSTEM

Emporia™ 125mm Face Glazed




Date: Feb 2013
Replaces: Apr 2012

Not to scale

05-062 – Corner Stake (400-661)

Suitable for 400-661,
LSS 401



05-065 – Corner Stake (900-065)

Suitable for 900-065



05-146 – Corner Stake (400-655)

Suitable for 400-655,
370-126, 900-019




Up to date stock availability can be viewed at www.lidco.com.au/indices


SALES ORDERS orders@lidco.com.au F 1300 937 713

TECHNICAL SUPPORT techsupport@lidco.com.au T 1300 663 848

Not to scale

Casement Window Stay (Stainless Steel)  For Casement Window 373, 413, 710, 715, and 718 Systems	Part Number	Length	Maximum Opening Angle	Maximum Sash Weight	Maximum Sash Width	Notes
	18-171	230mm	90°	25kg	800mm	
	18-171NF	230mm	90°	25kg	***	Non-friction
	18-183	430mm	90°	40kg	1000mm	
	18-183NF	430mm	90°	40kg	***	Non-friction

Awning Window Stay (Stainless Steel)  For Awning Window 373, 413, 710, 715, and 718 Systems	Part Number	Length	Maximum Opening Angle	Maximum Sash Weight	Maximum Sash Height	Notes
	18-172	200mm	40°	10kg	600mm	
	18-172NF	200mm	40°	10kg	***	Non-friction
	18-173	350mm	30°	20kg	800mm	
	18-173NF	350mm	30°	20kg	***	Non-friction
	18-174	500mm	25°	30kg	1800mm	
18-174NF	500mm	25°	30kg	***	Non-friction	

Awning Window Stay (Aluminium)  For Awning Window 373, 413, 710, 715, and 718 Systems	Part Number	Length	Maximum Opening Angle	Maximum Sash Weight	Maximum Sash Height	Notes
	18-190	230mm	45°	6kg	750mm	
	18-192	230mm	45°	10kg	***	Non-friction
	18-191	330mm	35°	9kg	1000mm	
	18-187	420mm	20°	15kg	1800mm	
	18-187	420mm	20°	20kg	1500mm	
18-187	420mm	20°	43kg	1200mm		

*** Based on weight rating of the winder

Up to date stock availability can be viewed at www.lidco.com.au/indices

COMMERCIAL RANGE 718 SYSTEM

Emporia™ 125mm Face Glazed

Not to scale

18-201 – Stainless Steel Restrictor



19-300L – 6mm Cam Handle (Left)



19-300R – 6mm Cam Handle (Right)



19-301L – 6mm Lockable Cam Handle (Left)



19-301R – 6mm Lockable Cam Handle (Right)



Up to date stock availability can be viewed at www.lidco.com.au/indices